

Revision Date: 04/02/2020

## **SAFETY DATA SHEET**

## 1. Identification

Product identifier: TERAND SPOT REMOVER - 23714

Other means of identification

**SDS number:** RE1000009090

Recommended restrictions
Product use: Cleaner

Restrictions on use: Not known.

#### Manufacturer/Importer/Distributor Information

#### Manufacturer

Company Name: CPC

Address: 1000 INTEGRAM DRIVE

PACIFIC, MO 63069

Telephone:

1-800-327-1835

Fax:

Emergency telephone number: 1-866-836-8855

## 2. Hazard(s) identification

## **Hazard Classification**

## **Physical Hazards**

Flammable aerosol Category 1

#### **Label Elements**

#### **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Extremely flammable aerosol.

Precautionary Statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F.



Revision Date: 04/02/2020

Hazard(s) not otherwise classified (HNOC):

None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
2-Propanol	67-63-0	5 - <10%
Butane	106-97-8	5 - <10%
Propane	74-98-6	1 - <5%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First-aid measures

**Ingestion:** Rinse mouth thoroughly.

**Inhalation:** Move to fresh air.

**Skin Contact:** Remove contaminated clothing and wash the skin thoroughly with soap and

water after work.

**Eye contact:** Rinse immediately with plenty of water.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** No data available.

## 5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.



Revision Date: 04/02/2020

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind.

Methods and material for containment and cleaning up:

Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

**Notification Procedures:** 

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** 

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental

manager must be informed of all major spillages.

## 7. Handling and storage

Precautions for safe handling: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Aerosol Level 1

## 8. Exposure controls/personal protection

## **Control Parameters**

**Occupational Exposure Limits** 

Occupational Exposure Limits	3	1		
Chemical Identity	Туре	Exposure	Limit Values	Source
2-Propanol	STEL	500 ppm	1,225 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
•	TWA	200 ppm		US. ACGIH Threshold Limit Values (2008)
	REL	400 ppm	980 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	400 ppm	980 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	400 ppm	980 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	400 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	500 ppm	1,225 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,2-Ethanediol	Ceiling	50 ppm	125 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,2-Ethanediol - Vapor fraction	TWA	25 ppm		US. ACGIH Threshold Limit Values (03 2017)
	STEL	50 ppm		US. ACGIH Threshold Limit Values (03 2017)
1,2-Ethanediol - Aerosol, inhalable.	STEL		10 mg/m3	US. ACGIH Threshold Limit Values (03 2017)
Ethanol, 2-ethoxy-	TWA	5 ppm		US. ACGIH Threshold Limit Values (2008)
	REL	0.5 ppm	1.8 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	200 ppm	740 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	200 ppm	740 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Ammonium hydroxide ((NH4)(OH))	STEL	35 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	35 ppm	27 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
_	STEL	35 ppm	27 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	REL	25 ppm	18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	50 ppm	35 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29
				CFR 1910.1000) (02 2006)



Revision Date: 04/02/2020

**Biological Limit Values** 

Chemical Identity	Exposure Limit Values	Source
2-Propanol (acetone: Sampling time: End of shift at end of work	40 mg/l (Urine)	ACGIH BEL (03 2013)
week.)		
Ethanol, 2-ethoxy- (2-Ethoxyacetic acid: Sampling time: End of shift at	100 mg/g (Creatinine in urine)	ACGIH BEL (03 2013)
end of work week.)		

**Appropriate Engineering** 

**Controls** 

No data available.

Individual protection measures, such as personal protective equipment

**General information:** Use personal protective equipment as required. Personal protection

equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection:** Wear goggles/face shield.

**Skin Protection** 

Hand Protection: No data available.

Other: No data available.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** When using do not smoke. Observe good industrial hygiene practices.

## 9. Physical and chemical properties

**Appearance** 

Physical state: liquid

Form: Spray Aerosol
Color: No data available.
Odor: No data available.
Odor threshold: No data available.
PH: No data available.
Melting point/freezing point: No data available.
Initial boiling point and boiling range: No data available.

Flash Point: -104.44 °C

**Evaporation rate:**No data available. **Flammability (solid, gas):**No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

No data available.

**Vapor pressure:** 3,447 - 5,171 hPa (20 °C)

Vapor density:No data available.Density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water:

Solubility (other):

No data available.

No data available.



Revision Date: 04/02/2020

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

No data available.

## 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:**No data available.

**Hazardous Decomposition** 

**Products:** 

No data available.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

## Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

#### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

2-Propanol LD 50: > 5,000 mg/kg

LD 50 (Rat): 5.84 g/kg

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

2-Propanol LD 50: > 5,000 mg/kg



Revision Date: 04/02/2020

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

2-Propanol LC 50: > 100 mg/l

LC 50: > 100 mg/l

Butane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Propane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Repeated dose toxicity

**Product:** No data available.

Specified substance(s):

2-Propanol NOAEL (Rat, Inhalation, >= 104 Weeks): 5,000 ppm(m) Inhalation

Experimental result, Key study

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

2-Propanol in vivo (Rabbit): Not Classified Experimental result, Key study

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

2-Propanol Rabbit, 1 d: Category 2: Causes serious eye irritation

Irritating.

Respiratory or Skin Sensitization

**Product:** No data available.

Specified substance(s):

2-Propanol Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

SDS\_US - RE1000009090 6/11



Revision Date: 04/02/2020

## **Germ Cell Mutagenicity**

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure
Product:

No data available.

Specified substance(s):

2-Propanol Narcotic effect. - Category 3 with narcotic effects.

Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

## 12. Ecological information

#### **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

Specified substance(s):

2-Propanol LC 50 (Pimephales promelas, 96 h): 9,640 mg/l Experimental result, Key

study

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

2-Propanol LC 50 (Daphnia magna, 24 h): > 10,000 mg/l Experimental result, Key study

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

#### Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.



Revision Date: 04/02/2020

Persistence and Degradability

Biodegradation

**Product:** No data available.

Specified substance(s):

2-Propanol 53 % (5 d) Detected in water. Experimental result, Key study

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

**Mobility in soil:** No data available.

Known or predicted distribution to environmental compartments

2-Propanol No data available.
Butane No data available.
Propane No data available.

Other adverse effects: No data available.

13. Disposal considerations

**Disposal instructions:** Wash before disposal. Dispose to controlled facilities.

Contaminated Packaging: No data available.

## 14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): Packing Group: II
Marine Pollutant: No

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.



Revision Date: 04/02/2020

**IMDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): – EmS No.:

Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

**IATA** 

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

## 15. Regulatory information

#### **US Federal Regulations**

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

## **CERCLA Hazardous Substance List (40 CFR 302.4):**

Chemical Identity	Reportable quantity
2-Propanol	lbs. 100
Butane	lbs. 100
Propane	lbs. 100
Nitrous acid, sodium salt (1:1)	lbs. 100
1,2-Ethanediol	lbs. 5000
Ethanol, 2-ethoxy-	lbs. 1000
Ammonium hydroxide ((NH4)(OH))	lbs. 1000

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

## **Hazard categories**

Fire Hazard
Flammable aerosol

## **SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.



Revision Date: 04/02/2020

#### **SARA 304 Emergency Release Notification**

Chemical Identity	Reportable quantity
2-Propanol	lbs. 100
Ethanol, 2-(2-ethoxyethoxy)-	
Butane	lbs. 100
Propane	lbs. 100
Nitrous acid, sodium salt (1:1)	lbs. 100
1,2-Ethanediol	lbs. 5000
Ethanol, 2-ethoxy-	lbs. 1000
Ammonium hydroxide ((NH4)(OH))	lbs. 1000

#### SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	Threshold Planning Quantity
2-Propanol	10000 lbs
Butane	10000 lbs
Propane	10000 lbs
1,2-Ethanediol	10000 lbs
Ethanol, 2-ethoxy-	10000 lbs
Ammonium hydroxide ((NH4)(OH))	10000 lbs

#### SARA 313 (TRI Reporting)

Chemical Identity	Reporting threshold for other users	Reporting threshold for manufacturing and processing
2-Propanol	Ibs	lbs.
Ethanol, 2-(2-ethoxyethoxy)-	N230 lbs	N230 lbs.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

#### **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

1,2-Ethanediol	Developmental toxin. 06 2015
Ethanol, 2-ethoxy-	Developmental toxin. 03 2008
Ethanol, 2-ethoxy-	Male reproductive toxin. 03 2008

## US. New Jersey Worker and Community Right-to-Know Act Chemical Identity

2-Propanol

Ethanol, 2-(2-ethoxyethoxy)-

Butane Propane

#### **US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

## US. Pennsylvania RTK - Hazardous Substances Chemical Identity

2-Propanol

Ethanol, 2-(2-ethoxyethoxy)-

Butane Propane

#### US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.



Revision Date: 04/02/2020

#### International regulations

#### Montreal protocol

Not applicable

## Stockholm convention

Not applicable

#### Rotterdam convention

Not applicable

#### **Kyoto protocol**

Not applicable

#### **Inventory Status:**

Australia AICS: On or in compliance with the inventory

Canada DSL Inventory List: On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

Japan (ENCS) List: On or in compliance with the inventory

China Inv. Existing Chemical Substances:

On or in compliance with the inventory

Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory

Canada NDSL Inventory: Not in compliance with the inventory.

Philippines PICCS: On or in compliance with the inventory

US TSCA Inventory: On or in compliance with the inventory

New Zealand Inventory of Chemicals:

On or in compliance with the inventory

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Mexico INSQ: On or in compliance with the inventory

Ontario Inventory: On or in compliance with the inventory

Taiwan Chemical Substance Inventory:

On or in compliance with the inventory

## 16.Other information, including date of preparation or last revision

**Issue Date:** 04/02/2020

**Revision Information:** No data available.

Version #: 1.0

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

#### MATERIAL SAFETY DATA SHEET

COMPLIES WITH OSHA'S HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200)

#### **SECTION I · PRODUCT IDENTIFICATION**

Product Name: Spot Remover Formula: Proprietary
Product Number: 237 Date Prepared: 10/19/07

Product Type: AEROSOL Emergency Phone: (800) 535-5053
Supplier's Name: Terand Industries, Inc. Information Phone: (954) 974-5440

Supplier's Address: P.O. Box 667770, Pompano Beach, FL. 33066

D.O.T. Hazard Class: Consumer Commodity, ORM-D

Formula: Proprietary HMIS Rating (Based on Aerosol Conc.): Date Prepared: 10/19/07 0-Minimal 1- Slight 2- Moderate

3- Serious 4- Extreme

HEALTH: 0 FIRE: 2 REACTIVITY: 0

Personal Protection: B

#### SECTION II - INGREDIENTS

				•		TWA/TLV
Isopropyl Alcohol 67-63-0 Propylene Glycol Monobutyl Ether 5131-66 Propylene Glycol Monomethyl Ether 107-98-	6-8 01-05	NO NO NO	NO NO NO	NO NO NO	400 ppm 100 ppm 100 ppm	400 ppm 100 ppm
Liquefied Petroleum Gas 68476-6		NO NO	NO	NO NO	1000 ppm	100 ppm

#### **SECTION III · PHYSICAL DATA**

Data Below Based On Aerosol Concentrate Only:

Boiling Point: 181° F

pH: 9.8

Solubility In Water: Complete

Appearance/Odor: Cloudy liquid, Glycol ether odor **Data Below Based On Total Contents:** 

Vapor Pressure of can (psig @72°F): 50

Total VOC (Volatile Organic Compound) %: ~ 23%

Vapor Density(Air=1): >1

Specific Gravity (H<sub>2</sub>O=1)@70°F: 0.980 - 0.985

#### **SECTION IV · FIRE AND EXPLOSION DATA**

Flash Point (of Concentrate Only): 123 °F (T.O.C) Flammability (as per USA Flame Projection Test): Non-Flammable Spray

Extinguishing Media: Foam, CO<sub>2.</sub> Dry Media

Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Cool fire exposed containers to prevent rupturing.

Unusual Fire and Explosion Hazards: Exposure to temperature above 120°F may cause bursting

#### SECTION V · REACTIVITY DATA

Stability: Material Stable. Hazardous Polymerization: Will not Occur.

Incompatibility: Avoid contact with strong oxidizing agents.

Hazardous Decomposition Products: Carbon Dioxide, Carbon Monoxides.

#### SECTION VI · STORAGE AND HANDLING

### KEEP OUT OF REACH OF CHILDREN.

For Industrial and Institutional use only.

Store in a cool, dry area away from heat or open flame.

Do not store at temperatures above 120°F.

NFPA Code 30B Rating: Level 1 Aerosol.

#### **SECTION VII · HEALTH AND FIRST AID**

## PRIMARY ROUTES OF ENTRY & EFFECTS OF OVER EXPOSURE:

Eyes: May cause slight irritation but does not injure eye tissue.

**Skin:** Frequent or prolonged contact may cause irritation.

Inhalation: Inhalation of mist can cause irritation of nasal and respiratory passages. Abusive or excessive inhalation may cause irritation to the upper respiratory tract, dizziness, nausea and other central nervous system effects.

Ingestion: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis. Minimal toxicity.

**FIRST AID PROCEDURES:** 

Eyes: Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately.

**Skin:** Wash with soap and water. If irritation persists seek medical attention.

Inhalation: Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial respiration.

Ingestion: Do not induce vomiting. Seek medical attention immediately.

#### SECTION VIII · SPECIAL PROTECTION DATA

Respiratory Protection: None needed for proper use in accordance with label directions.

Ventilation: Provide local exhaust to keep TLV of Section II ingredients below acceptable limits.

**Protective Gloves:** None needed for proper use in accordance with label directions. Use chemical resistant gloves if hand contact will be made. **Eye Protection:** None needed unless it is anticipated that a splash or spray back will occur, then wear safety glasses or chemical proof goggles.

#### **SECTION IX · SPILL OR LEAK PROTECTION**

STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK: Allow propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame far away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Dispose of soaked absorbent material in accordance with Federal, State and local laws.

WASTE DISPOSAL METHOD: Aerosol cans, when emptied and depressurized through normal use, pose no disposal hazard and should be recycled. Consult Federal, State and local authorities for approved procedures.

#### N/A= NOT APPLICABLE · N/E=NOT ESTABLISHED · N/D=NOT DETERMINED · <=LESS THAN · >=MORE THAN

**NOTICE:** The information contained on this Material Safety Data Sheet is considered accurate as of the date of publication. It is not necessarily all inclusive nor fully adequate in every circumstance. The suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements. No warranty, express or implied, of merchantability, fitness, accuracy of data, or the results to be obtained from the use thereof is made. The vendor assumes no responsibility for injury or damages resulting from the inappropriate use of this product.