

# SAFETY DATA SHEET

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifiers** 1.1 Product name Sodium salicylate for analysis EMSURE® : 1.06601 **Product Number** Catalogue No. 106601 • Brand : Millipore CAS-No. 54-21-7 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses : Reagent for analysis Uses advised against The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma. 1.3 Details of the supplier of the safety data sheet : EMD Millipore Corporation Company 400 Summit Drive **BURLINGTON MA 01803** UNITED STATES Telephone : +1 800-645-5476 **Emergency telephone** 1.4 800-424-9300 CHEMTREC (USA) +1-703-Emergency Phone # 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Eye irritation (Category 2A), H319 Reproductive toxicity (Category 2), H361 Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore - 1.06601

Page 1 of 10



### 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Warning
Hazard Statements H302 H319 H361 H402	Harmful if swallowed. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Harmful to aquatic life.
Precautionary Statements	
P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell, Rinse mouth.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313 P405	If eye irritation persists: Get medical advice/ attention. Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### SECTION 3: Composition/information on ingredients

3.1	<b>Substances</b> Formula Molecular weight CAS-No. EC-No.	::	C7H6O3Na 160.10 g/mol 54-21-7 200-198-0		
	Component			Classification	Concentration
	Sodium salicylate				
				Acute Tox. 4; Eye Irrit. 2A; Repr. 2; Aquatic Acute 3; H302, H319, H361, H402	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore - 1.06601

Page 2 of 10



### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

### **General advice**

Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

**Suitable extinguishing media** Water Foam Carbon dioxide (CO2) Dry powder

### **Unsuitable extinguishing media** For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Sodium oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore - 1.06601

Page 3 of 10



### **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

- 6.2 Environmental precautions Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- 6.4 **Reference to other sections** For disposal see section 13.

### **SECTION 7: Handling and storage**

Precautions for safe handling 7.1 For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

Storage class Storage class (TRGS 510): 11: Combustible Solids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

#### **Control parameters** 8.1

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

### Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Millipore - 1.06601

Page 4 of 10



### Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet; www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

### **Body Protection**

protective clothing

### **Respiratory protection**

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

### SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Appearance

Form: solid Color: white

odorless

Millipore - 1.06601

b) Odor

Page 5 of 10



c)	Odor Threshold	Not applicable				
d)	рН	6.85 at 26.3 °C (79.3 °F)				
e)	Melting point/freezing point	Melting point/range: 208.5 - 213.5 °C (407.3 - 416.3 °F) at 967.3 hPa - OECD Test Guideline 102				
f)	Initial boiling point and boiling range	237 °C 459 °F				
g)	Flash point	98.3 °C (208.9 °F) - Pensky-Martens closed cup				
h)	Evaporation rate	No data available				
i)	Flammability (solid, gas)	No data available				
j)	Upper/lower flammability or explosive limits	No data available				
k)	Vapor pressure	< 0.1 hPa at 25 °C (77 °F)				
I)	Vapor density	No data available				
m)	Density	0.32 g/cm3 at 25 °C (77 °F)				
	Relative density	No data available				
n)	Water solubility	575.7 g/l at 25 °C (77 °F) - OECD Test Guideline 105 - completely miscible				
0)	Partition coefficient: n-octanol/water	log Pow: -1.259 at 25 °C (77 °F) - Bioaccumulation is not expected.				
p)	Autoignition temperature	> 250 °C (> 482 °F)				
q)	Decomposition temperature	No data available				
r)	Viscosity	No data available				
s)	Explosive properties	No data available				
t)	Oxidizing properties	none				
Otł	Other safety information					
	Bulk density	ca.320 kg/m3				
	Dissociation constant	0 at 25 °C (77 °F)				
	Particle size	75 - 500 μm - Mean particle size				

## SECTION 10: Stability and reactivity

### **10.1 Reactivity**

9.2

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Millipore - 1.06601

Page 6 of 10



The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### **10.3** Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents Bases Lead iodine silver compounds acids

### **10.4** Conditions to avoid

Strong heating.

**10.5 Incompatible materials** No data available

## **10.6 Hazardous decomposition products**

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Mouse - 540 mg/kg Remarks: (RTECS) Inhalation: No data available LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402) No data available

### Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit Result: Irritating to eyes. - 24 h (OECD Test Guideline 405)

### **Respiratory or skin sensitization**

No data available - Humans Result: negative

**Germ cell mutagenicity** Test Type: Ames test

Millipore - 1.06601

Page 7 of 10



Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: sister chromatid exchange assay Species: Rat Cell type: Bone marrow Application Route: Oral

Result: negative Remarks: (ECHA)

#### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

Suspected of damaging the unborn child.

### Specific target organ toxicity - single exposure No data available

### **Specific target organ toxicity - repeated exposure** No data available

Aspiration hazard

No data available

### **11.2 Additional Information**

Salicylic acid and other salicylates are transferred into breast milk. Animal and human data suggest that the reduced clearance of salicylates by neonates may result in drug accumulation and toxic effects even when repeated exposures are small. Because of these concerns, the WHO Working Group on Human Lactation classified the salicylates as unsafe for use by nursing women.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Millipore - 1.06601

Page 8 of 10



	Toxicity to fish	static test LC50 - Danio rerio (zebra fish) - > 100 mg/l  - 96 h (OECD Test Guideline 203)	
	Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)	
	Toxicity to algae	static test ErC50 - Chlorella vulgaris (Fresh water algae) - 48.29 mg/l - 72 h (OECD Test Guideline 201)	
12.2	Persistence and deg Biodegradability	radability Result: 88.19 % - Readily biodegradable. (OECD Test Guideline 301D)	
12.3	<b>3 Bioaccumulative potential</b> No data available		
12.4	<b>Mobility in soil</b> No data available		
12.5	5 Results of PBT and vPvB assessment		

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- 12.6 Endocrine disrupting properties No data available
- **12.7 Other adverse effects** No data available

### SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

### **SECTION 14: Transport information**

#### DOT (US)

Not dangerous goods

### IMDG

Not dangerous goods

### ΙΑΤΑ

Millipore - 1.06601

Page 9 of 10



Not dangerous goods

### **Further information**

Not classified as dangerous in the meaning of transport regulations.

### **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

### **SECTION 16: Other information**

### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

 Version: 8.5
 Revision Date: 03/02/2024
 Print Date: 03/05/2024

Millipore - 1.06601

Page 10 of 10

