

# SAFETY DATA SHEET

Version 6.5  
Revision Date 03/02/2024  
Print Date 06/24/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Hydrazine solution

Product Number : 309400  
Brand : Aldrich

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301  
Acute toxicity, Inhalation (Category 4), H332  
Acute toxicity, Dermal (Category 3), H311  
Skin corrosion (Category 1B), H314  
Serious eye damage (Category 1), H318

Aldrich - 309400

Page 1 of 12

Skin sensitization (Category 1), H317  
Carcinogenicity (Category 1B), H350  
Short-term (acute) aquatic hazard (Category 1), H400  
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard Statements

H301 + H311	Toxic if swallowed or in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H350	May cause cancer.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

Aldrich - 309400

Page 2 of 12

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Formula :  $H_4N_2$   
Molecular weight : 32.05 g/mol

Component	Classification	Concentration	
<b>Hydrazine</b>			
CAS-No.	302-01-2	Flam. Liq. 3; Acute Tox. 3; Acute Tox. 2; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; Carc. 1B; Aquatic Acute 1; Aquatic Chronic 1; , H226, H301, H330, H311, H314, H318, H317, H350, H400, H410 Concentration limits: >= 10 %: Skin Corr. 1B, H314; 3 - < 10 %: Skin Irrit. 2, H315; 3 - < 10 %: Eye Irrit. 2, H319; M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	>= 30 - < 50 %
EC-No.	206-114-9		
Index-No.	007-008-00-3		
Registration number	01-2119492624-31-XXXX		

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal

(20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

#### **4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

### **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media**

##### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

#### **5.2 Special hazards arising from the substance or mixture**

Nitrogen oxides (NO<sub>x</sub>)

#### **5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### **6.2 Environmental precautions**

Do not let product enter drains.

#### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

#### **6.4 Reference to other sections**

For disposal see section 13.

---

### **SECTION 7: Handling and storage**

#### **7.1 Precautions for safe handling**

##### **Advice on safe handling**

Aldrich - 309400

Page 4 of 12

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Hydrazine	302-01-2	TWA	0.01 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption		
		C	0.03 ppm 0.04 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		Potential Occupational Carcinogen		
		TWA	1 ppm 1.3 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		Skin designation		
		PEL	0.01 ppm 0.013 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Full contact

Material: Nature latex/chloroprene

Minimum layer thickness: 0.6 mm

Break through time: 480 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

#### Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 30 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### Body Protection

protective clothing

### Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.  
required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |   |  |
|---|--|
| a) Appearance                                   | Form: liquid   |
| b) Odor   | No data available  |
| c) Odor Threshold                               | No data available  |
| d) pH   | No data available  |
| e) Melting point/freezing point                 | No data available  |
| f) Initial boiling point and boiling range      | No data available  |
| g) Flash point                                  | ( )No data available   |
| h) Evaporation rate                             | No data available  |
| i) Flammability (solid, gas)                    | No data available  |
| j) Upper/lower flammability or explosive limits | Upper explosion limit: 99.99 %(V)<br>Lower explosion limit: 3.5 %(V) |
| k) Vapor pressure                               | 7 hPa at 25 °C (77 °F)   |
| l) Vapor density                                | No data available  |
| m) Density                                      | 1.011 g/cm <sup>3</sup> at 25 °C (77 °F)                             |
| Relative density                                | No data available  |
| n) Water solubility                             | No data available  |
| o) Partition coefficient: n-octanol/water       | No data available  |
| p) Autoignition temperature                     | No data available  |
| q) Decomposition temperature                    | No data available  |
| r) Viscosity                                    | No data available  |
| s) Explosive properties                         | Not classified as explosive.   |
| t) Oxidizing properties                         | none   |

### 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

Aldrich - 309400

Page 7 of 12

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

Zinc, Oxidizing agents, Organic materials, Oxygen, Copper

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

##### Acute toxicity

Oral: No data available

Acute toxicity estimate Oral - 285.71 mg/kg  
(Calculation method)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Inhalation: No data available

Acute toxicity estimate Inhalation - 4 h - 2.17 mg/l - dust/mist(Calculation method)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages: , damage of respiratory tract

Dermal: No data available

Acute toxicity estimate Dermal - 857.43 mg/kg  
(Calculation method)

##### Skin corrosion/irritation

Remarks: Mixture causes burns.

##### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.  
Risk of blindness!

##### Respiratory or skin sensitization

Mixture may cause an allergic skin reaction.

##### Germ cell mutagenicity

No data available

##### Carcinogenicity

Possible carcinogen.

IARC: 2A - Group 2A: Probably carcinogenic to humans (Hydrazine)

NTP: RAHC - Reasonably anticipated to be a human carcinogenThe reference note has

Aldrich - 309400

Page 8 of 12



been added by TD based on the background information of the NTP. (Hydrazine)

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea  
Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Liver - Irregularities - Based on Human Evidence

**Components**

**Hydrazine**

**Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

No data available

**Skin corrosion/irritation**

Skin - Rabbit

Result: Corrosive - 4 h

(OECD Test Guideline 404)

Remarks: (55% solution)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

**Serious eye damage/eye irritation**

Remarks: Causes serious eye damage.

**Respiratory or skin sensitization**

(Regulation (EC) No 1272/2008, Annex VI)

**Germ cell mutagenicity**

No data available

### **Carcinogenicity**

Presumed to have carcinogenic potential for humans

NTP: The reference note has been added by TD based on the background information of the NTP.

### **Reproductive toxicity**

No data available

### **Specific target organ toxicity - single exposure**

No data available

### **Specific target organ toxicity - repeated exposure**

No data available

### **Aspiration hazard**

No data available

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

#### **Mixture**

No data available

### **12.2 Persistence and degradability**

No data available

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### **12.6 Endocrine disrupting properties**

No data available

### **12.7 Other adverse effects**

No data available

#### **Components**

##### **Hydrazine**

Toxicity to fish static test LC50 - *Poecilia reticulata* (guppy) - 0.61 mg/l - 96 h  
Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates semi-static test EC50 - *Daphnia pulex* (Water flea) - 0.16 mg/l - 48 h  
(US-EPA)  
Remarks: (in analogy to similar products)  
The value is given in analogy to the following substances:  
Hydrazine hydrate

Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - 0.017 mg/l - 48 h (Regulation (EC) No. 440/2008, Annex, C.3)
Toxicity to bacteria	static test EC50 - activated sludge - 5.5 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 0.123 mg/l - 21 d (OECD Test Guideline 211)

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

#### DOT (US)

UN number: 3293 Class: 6.1 Packing group: III  
 Proper shipping name: Hydrazine, aqueous solution  
 Reportable Quantity (RQ): 2 lbs  
 Poison Inhalation Hazard: No

#### IMDG

UN number: 3293 Class: 6.1 Packing group: III EMS-No: F-A, S-A  
 Proper shipping name: HYDRAZINE, AQUEOUS SOLUTION  
 Marine pollutant : yes

#### IATA

UN number: 3293 Class: 6.1 Packing group: III  
 Proper shipping name: Hydrazine, aqueous solution

---

## SECTION 15: Regulatory information

### SARA 302 Components

Aldrich - 309400

Page 11 of 12

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

**Millipore  
Sigma**

The following components are subject to reporting levels established by SARA Title III, Section 302:

Hydrazine	CAS-No. 302-01-2	Revision Date 2007-07-01
-----------	---------------------	-----------------------------

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Hydrazine	CAS-No. 302-01-2	Revision Date 2007-07-01
-----------	---------------------	-----------------------------

### **SARA 311/312 Hazards**

Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

Hydrazine	CAS-No. 302-01-2	Revision Date 2007-07-01
-----------	---------------------	-----------------------------

### **Pennsylvania Right To Know Components**

water	CAS-No. 7732-18-5	Revision Date
-------	----------------------	---------------

Hydrazine	302-01-2	2007-07-01
-----------	----------	------------

### **California Prop. 65 Components**

, which is/are known to the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov/Hydrazine">www.P65Warnings.ca.gov/Hydrazine</a>	CAS-No. 302-01-2	Revision Date 2007-09-28
--	---------------------	-----------------------------

---

## **SECTION 16: Other information**

### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.5

Revision Date: 03/02/2024

Print Date: 06/24/2024