Safety Data Sheet



Issuing Date No data available Revision Date 10-May-2011 Revision Number 3

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Name Isoamyl Alcohol

Product Code(s) 0944

Recommended Use For Further Manufacturing Use Only

Not for Human or Animal Drug Use

Synonyms ALCOOL AMILICO (ITALIAN) * ALCOOL ISOAMYLIQUE (FRENCH) * AMYLOWY

ALKOHOL (POLISH) * FERMENTATION AMYL ALCOHOL * ISOAMYL ALCOHOL (ACGIH)* ISOAMYL ALCOHOL, PRIMARY (OSHA) * ISOAMYL ALKOHOL (CZECH) * ISO-AMYLALKOHOL (GERMAN) * ISOAMYLOL * ISOBUTYLCARBINOL * ISOPENTANOL * ISOPENTYL ALCOHOL *

2-METHYL-4-BUTANOL * 3-METHYL BUTANOL * 3-METHYLBUTAN-1-OL *

3-METHYL-1-BUTANOL * 3-METIL-BUTANOLO (ITALIAN) *

Company AMRESCO, LLC 6681 Cochran Road Solon, Ohio 44139

Emergency Telephone Number Chemtrec 1-800-424-9300

Company Phone Number E-mail Address 1-800-448-4442 info@amresco-inc.com

2. HAZARDS IDENTIFICATION

GHS - Classification

Classification Skin Irritant 2 Serious Eye Damage/Irritant 2A Flammable Liquid 3

Signal Word Warning





Hazard Statements H226 - Flammable liquid and vapor H315 - Causes skin irritation H319 - Causes

serious eye irritation H335 - May cause respiratory irritation

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+ P352 - IF ON SKIN: Wash with plenty of soap and water P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | EC No. | REACH Reg. No. | CAS-No | Weight % | Classification |
|-----------------|-------------------|----------------|----------|----------|----------------|
| Isoamyl alcohol | EEC No. 204-633-5 | Not available | 123-51-3 | 95-100 | - |

4. FIRST AID MEASURES

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated

clothes and shoes

Inhalation Move to fresh air. If breathing becomes difficult, give oxygen

Ingestion Clean mouth with water and afterwards drink plenty of water

Notes to Physician Treat symptomatically

FIRE-FIGHTING MEASURES

Flammable Properties Flammable liquid.

Flash Point 43 °C

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam

Hazardous Combustion Products Carbon oxides

Explosion Data

Sensitivity to Mechanical Impact
Sensitivity to Static Discharge
Not sensitive
Not sensitive

Specific Hazards Arising from the Chemical

Vapor may travel considerable distance to source of ignition and flash back

. In the event of fire and/or explosion do not breathe fumes.

pressure-demand, MSHA/NIOSH (approved or equivalent) and

full protective gear

ACCIDENTAL RELEASE MEASURES

Personal Precautions Evacuate personnel to safe areas. Avoid contact with the skin and the eyes. Use personal

protective equipment. Ensure adequate ventilation.

Methods for Containment Prevent further leakage or spillage if safe to do so

Methods for Cleaning UpCover with dry lime or soda ash. Keep in suitable and closed containers for disposal.

Wash spill site with soap solution and flush area with copious amounts of water.

7. HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practice.

Storage Keep container tightly closed in a dry and well-ventilated place. Keep away from

sources of ignition-no smoking.

Incompatible Products Strong oxidizing agents. Acid chlorides. Acid Anhydrides.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------|----------------|---------------------------------------|-----------------------------|
| Isoamyl alcohol | = 125 ppm STEL | TWA: 100 ppm | IDLH: 500 ppm |
| 123-51-3 | TWA: 100 ppm | TWA: 360 mg/m ³ | TWA: 100 ppm |
| | | (vacated) TWA: 100 ppm | TWA: 360 mg/m ³ |
| | | (vacated) TWA: 360 mg/m ³ | STEL: 125 ppm |
| | | (vacated) STEL: 125 ppm | STEL: 450 mg/m ³ |
| | | (vacated) STEL: 450 mg/m ³ | _ |

Engineering Measures Showers

Eyewash stations Ventilation systems

Personal Protective Equipment

Eye/Face Protection
Skin and Body Protection

Tightly fitting safety goggles Wear protective gloves/clothing

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear

Odor No information available
Odor Threshold No information available
Decomposition Temperature °C No information available
Freezing Point No information available
Initial Boiling Point No information available

Physical State Liquid

pH No data available

Flash Point 43 °C

Flammable Properties Flammable liquid.

Autoignition Temperature 339 °C
Boiling Point/Range 130 °C
Melting Point/Range -117 °C
Flammability Limits in Air

Flammability Limits in Air Upper 9% Lower 1.2%

Explosive Properties

Oxidizing Properties

Evaporation Rate

MMHG @ 37.8 C

Vapor Density

Specific Gravity

No information available
No data available
No data available
No data available
No data available

Solubility No information available

Partition Coefficient No data available

(n-octanol/water)

Viscosity No information available

Molecular Weight 88.15

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions

Incompatible Products Strong oxidizing agents. Acid chlorides. Acid Anhydrides.

Conditions to Avoid None known based on information supplied

Hazardous Decomposition Products Carbon oxides

Hazardous Polymerization Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information May cause irritation to eyes, skin and respiratory system . Harmful if swallowed, inhaled, or

absorbed through skin

.

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------------|------------------|---------------------|-----------------|
| Isoamyl alcohol | 1300 mg/kg (Rat) | 3970 μL/kg (Rabbit) | |

Chronic Toxicity

Chronic Toxicity No known effect based on information supplied

Target Organ Effects Liver, Kidneys, Eyes, Skin, Central nervous system (CNS).

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic organisms.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Microtox | Daphnia Magna (Water Flea) |
|-----------------|----------------------------------------------|----------------------------------------|-----------------------|-------------------------------|
| Isoamyl alcohol | EC50 = 181 mg/L 96 h EC50 = 493 mg/L 72 h | LC50= 700 mg/L Salmo gairdneri 96 h | EC50 = 2500 mg/L 17 h | EC50 = 260 mg/L 48 h |

| Chemical Name | Log Pow |
|-----------------|---------|
| Isoamyl alcohol | = 1.28 |

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of material in accordance with all federal, state, and local regulations

Contaminated Packaging Dispose of in accordance with all federal, state and local regulations

14. TRANSPORT INFORMATION

IATA

UN-No 1105

Proper Shipping Name PENTANOLS

Hazard Class 3
Packing Group III

DOT

Proper Shipping Name PENTANOLS

Hazard Class 3 UN-No 1105 Packing Group III

15. REGULATORY INFORMATION

REACH Title VII Restrictions No information available.

| Chemical Name | Dangerous Substances | Organic Solvents | Harmful Substances Whose Names Are to be Indicated on the Label | Pollution Release and Transfer Registry (Class II): | Pollution Release and Transfer Registry (Class I): | Poison and Deleterious Substances Control Law: |
|-----------------|-------------------------|---------------------|--------------------------------------------------------------------------------|-----------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------|
| Isoamyl alcohol | X | Class 2 | X | Not applicable | Not applicable | Not applicable |

| Component | ISHA - Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying | ISHA - Harmful Substances Requiring Permission | Toxic Chemical Classification Listing (TCCL) - Toxic Chemicals | Toxic Release Inventory (TRI) - Group I | Toxic Release Inventory (TRI) - Group II |
|----------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------|-------------------------------------------------------------------------|-----------------------------------------------|------------------------------------------------|
| Isoamyl alcohol 123-51-3 (95-100) | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

International Inventories

| Complies |
|----------|
| Complies |
| |

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard

Chronic Health Hazard

No
Fire Hazard

Sudden Release of Pressure Hazard

No
Reactive Hazard

No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990

CERCLA

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

| Chemical Name | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-----------------|---------------|------------|--------------|----------|--------------|
| Isoamyl alcohol | X | X | X | | Х |

International Regulations

Mexico - Grade

| Chemical Name | Carcinogen Status | Exposure Limits |
|-----------------|-------------------|-------------------------------------|
| Isoamyl alcohol | | Mexico: TWA= 360 mg/m ³ |
| | | Mexico: TWA= 100 ppm |
| | | Mexico: STEL= 125 ppm |
| | | Mexico: STEL= 450 mg/m ³ |

Canada

WHMIS Hazard Class

B2 Flammable liquid D2B Toxic materials



16. OTHER INFORMATION

Revision Date 10-May-2011

Revision Note

No information available.

Recommended Restrictions No information available

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS