

## SAFETY DATA SHEET

Version 6.10  
Revision Date 09/29/2021  
Print Date 06/18/2022**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Hydrogen peroxide solution

Product Number : 216763  
Brand : SIGALD  
CAS-No. : 7722-84-1**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

**1.3 Details of the supplier of the safety data sheet**Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATESTelephone : +1 314 771-5765  
Fax : +1 800 325-5052**1.4 Emergency telephone**Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**Serious eye damage (Category 1), H318  
Short-term (acute) aquatic hazard (Category 2), H401  
Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

Pictogram



Signal word : Danger

Hazard statement(s)  
H318 : Causes serious eye damage.

H401	Toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P273	Avoid release to the environment.
P280	Wear eye protection/ face protection.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Formula	: H <sub>2</sub> O <sub>2</sub>
Molecular weight	: 34.01 g/mol

Component	Classification	Concentration
<b>Hydrogen Peroxide</b>		
CAS-No.	7722-84-1	>= 30 - < 35 %
EC-No.	231-765-0	
Index-No.	008-003-00-9	
Ox. Liq. 1; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; STOT SE 3; Aquatic Acute 2; Aquatic Chronic 3; H271, H302, H332, H314, H318, H335, H401, H412 Concentration limits: >= 70 %: Skin Corr. 1A, H314; 50 - < 70 %: Skin Corr. 1B, H314; 35 - < 50 %: Skin Irrit. 2, H315; 8 - < 50 %: Eye Dam. 1, H318; 5 - < 8 %: Eye Irrit. 2, H319; >= 35 %: STOT SE 3, H335; >= 60 %: Ox. Liq. 1, H271; 20 - < 60 %: Ox. Liq. 2, H272; 8 - < 20 %: Ox. Liq. 3, H272;		

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

**If inhaled**

After inhalation: fresh air.

**In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

**In case of eye contact**

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

**If swallowed**

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

**5.2 Special hazards arising from the substance or mixture**

Nature of decomposition products not known.

Not combustible.

Ambient fire may liberate hazardous vapours.

**5.3 Advice for firefighters**

In the event of fire, wear self-contained breathing apparatus.

**5.4 Further information**

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

**6.2 Environmental precautions**

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Do not store near combustible materials.

#### Storage stability

Recommended storage temperature

2 - 8 °C

#### Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Hydrogen Peroxide	7722-84-1	TWA	1 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed animal carcinogen with unknown relevance to humans		

		TWA	1 ppm 1.4 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		TWA	1 ppm 1.4 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	1 ppm 1.4 mg/m <sup>3</sup>	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		PEL	1 ppm 1.4 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

### Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatrill® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

required

#### Body Protection

protective clothing

#### Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

a) Appearance	Form: liquid, clear Color: colorless
b) Odor	No data available
c) Odor Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	No data available
f) Initial boiling point and boiling range	No data available
g) Flash point	( )Not applicable
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available
m) Density	1.110 g/cm <sup>3</sup>
Relative density	No data available
n) Water solubility	soluble
o) Partition coefficient: n-octanol/water	No data available
p) Autoignition temperature	Not applicable
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	Not classified as explosive.
t) Oxidizing properties	The substance or mixture is not classified as oxidizing.

### **9.2 Other safety information**

No data available

---

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

No data available

### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### **10.3 Possibility of hazardous reactions**

Violent reactions possible with:

The generally known reaction partners of water.

### **10.4 Conditions to avoid**

no information available

### **10.5 Incompatible materials**

Zinc, Powdered metals, Iron, Copper, Nickel, Brass, Iron and iron salts., Strong oxidizing agents

### **10.6 Hazardous decomposition products**

In the event of fire: see section 5

---

## **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

#### **Mixture**

#### **Acute toxicity**

Oral: No data available

Acute toxicity estimate Oral - 2,312 mg/kg

(Calculation method)

Inhalation: No data available

Acute toxicity estimate Inhalation - 4 h - 37 mg/l

(Calculation method)

Symptoms: Possible symptoms:, mucosal irritations

Dermal: No data available

Acute toxicity estimate Dermal - > 5,000 mg/kg

(Calculation method)

No data available

#### **Skin corrosion/irritation**

No data available

#### **Serious eye damage/eye irritation**

No data available

Mixture causes serious eye damage.

#### **Respiratory or skin sensitization**

No data available

#### **Germ cell mutagenicity**

No data available

#### **Carcinogenicity**

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**

No data available

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

**Components**

**Hydrogen Peroxide**

**Acute toxicity**

LD50 Oral - Rat - female - 693.7 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Inhalation - 4 h - 11.1 mg/l

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

(US-EPA)

No data available

**Skin corrosion/irritation**

Causes severe burns. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow



Result: negative

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

Inhalation - May cause respiratory irritation. - Respiratory Tract

**Specific target organ toxicity - repeated exposure**

**Aspiration hazard**

No data available

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Mixture**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Other adverse effects**

No data available

**Components**

**Hydrogen Peroxide**

Toxicity to fish	semi-static test LC50 - Pimephales promelas (fathead minnow) - 16.4 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	semi-static test LC50 - Daphnia pulex (Water flea) - 2.4 mg/l - 48 h (US-EPA)
Toxicity to algae	static test ErC50 - Skeletonema costatum (marine diatom) - 1.38 mg/l - 72 h Remarks: (ECHA)
	static test NOEC - Skeletonema costatum (marine diatom) - 0.63 mg/l - 72 h Remarks: (ECHA)
Toxicity to bacteria	static test EC50 - activated sludge - 466 mg/l - 30 min (OECD Test Guideline 209)

static test EC50 - activated sludge - > 1,000 mg/l - 3 h  
(OECD Test Guideline 209)

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

#### DOT (US)

UN number: 2014 Class: 5.1 (8) Packing group: II  
Proper shipping name: Hydrogen peroxide, aqueous solutions  
Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

#### IMDG

UN number: 2014 Class: 5.1 (8) Packing group: II EMS-No: F-H, S-Q  
Proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

#### IATA

UN number: 2014 Class: 5.1 (8) Packing group: II  
Proper shipping name: Hydrogen peroxide, aqueous solution

---

## SECTION 15: Regulatory information

#### SARA 302 Components

Hydrogen Peroxide	CAS-No. 7722-84-1	Revision Date 2014-05-05
-------------------	----------------------	-----------------------------

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

#### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

---

**SECTION 16: Other information****Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.10

Revision Date: 09/29/2021

Print Date: 06/18/2022