

SAFETY DATA SHEET

Version 6.9 Revision Date 03/02/2024 Print Date 07/13/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	:	Dicyclopentadiene
Product Number	•	454338 Aldrich
Brand		Alunch
Index-No.	:	601-044-00-9
CAS-No.	:	77-73-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	: Laboratory chemicals, Synthesis of substances
Uses advised against	: The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.
Dotails of the suppli	of the cafety data cheet

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hours/day; 7 Days/week

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 2), H330

Aldrich - 454338

1.4

Page 1 of 12




Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Aldrich - 454338

Page 2 of 12



P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : 4,7-Methano-3a,4,7,7a-tetrahydroindene Cyclopentadiene dimer

Formula	:	$C_{10}H_{12}$
Molecular weight	:	132.20 g/mol
CAS-No.	:	77-73-6
EC-No.	:	201-052-9
Index-No.	:	601-044-00-9

Component	Classification	Concentration			
3a,4,7,7a-tetrahydro-4,7-methanoindene					
	Flam. Liq. 2; Acute Tox. 4; Acute Tox. 2; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H225, H302, H330, H315, H319, H335, H400, H410 M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	<= 100 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Aldrich - 454338

Page 3 of 12



In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains. Risk of explosion.

Aldrich - 454338

Page 4 of 12



6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Aldrich - 454338

Page 5 of 12



Component	CAS-No.	Value	Control parameters	Basis
3a,4,7,7a- tetrahydro-4,7- methanoindene	77-73-6	TWA	0.5 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	1 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	5 ppm 30 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	5 ppm 30 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 30 min Material tested:Butoject® (KCL 898)

Body Protection

Flame retardant antistatic protective clothing.

Aldrich - 454338

Page 6 of 12



Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

ā	a) Appearance	Form: clear, liquid Color: light yellow
t	o) Odor	No data available
c	c) Odor Threshold	No data available
c	d) pH	No data available
e	e) Melting point/freezing point	Melting point/range: 32.2 °C (90.0 °F) at 1,013 hPa
f	 Initial boiling point and boiling range 	172.2 °C 342.0 °F at 1,013 hPa
ç	g) Flash point	32 °C (90 °F) - closed cup
ł	n) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k	<) Vapor pressure	1.86 hPa at 20 °C (68 °F)
I) Vapor density	No data available
r	n) Density	0.93 g/cm3 at 35 °C (95 °F)
	Relative density	No data available
r	n) Water solubility	0.02 g/l at 25 °C (77 °F) - slightly soluble
C	 Partition coefficient: n-octanol/water 	log Pow: 2.78 at 25 °C (77 °F)
ŗ	 Autoignition temperature 	No data available
C	q) Decomposition	No data available
Aldrich -	454338	P

Page 7 of 12



temperature

- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none
- 9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Contains the following stabilizer(s): butyl hydroxytoluene (BHT) (0.05 %)

10.3 Possibility of hazardous reactions

increased reactivity with: Strong oxidizing agents Strong acids strong alkalis

10.4 Conditions to avoid

Heating.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 590 mg/kg (Calculation method) LD50 Oral - Rat - male and female - 590 mg/kg (OECD Test Guideline 401) Acute toxicity estimate Inhalation - 4 h - 1.97 mg/l - vapor(Calculation method)

Inhalation: Irritating to respiratory system. LC50 Inhalation - Rat - male and female - 4 h - 1.97 mg/l - vapor

Aldrich - 454338

Page 8 of 12



(OECD Test Guideline 403) Acute toxicity estimate Dermal - 2,500 mg/kg (Calculation method) LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402) No data available LD50 Intraperitoneal - Rat - 200 mg/kg

Skin corrosion/irritation

Skin - Rabbit Result: irritating - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA)

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory system

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male - Oral - 44 d - NOAEL (No observed adverse effect level) - 4 mg/kg

Aldrich - 454338

Page 9 of 12



Repeated dose toxicity - Rat - male - inhalation (vapor) - 91 d Remarks: Subchronic toxicity

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	LC50 - Oryzias latipes (Orange-red killifish) - 4.3 mg/l - 96 h Remarks: (Lit.)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 0.62 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata (green algae) - > 100 mg/l - 96 h (US-EPA)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Lepomis macrochirus (Bluegill sunfish) - 0.98 mg/l - 14 d (OECD Test Guideline 204)

12.2 Persistence and degradability

Biodegradability Result: - Not readily biodegradable. (OECD Test Guideline 301C)

Ratio BOD/ThBOD <= 4 %

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects Discharge into the environment must be avoided.

Aldrich - 454338

Page 10 of 12



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

UN number: 2048 Class: 3 Packing group: III Proper shipping name: Dicyclopentadiene Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 2048Class: 3Packing group: IIIEMS-No: F-E, S-DProper shipping name: DICYCLOPENTADIENEMarine pollutant : yes

ΙΑΤΑ

UN number: 2048 Class: 3 Packing group: III Proper shipping name: Dicyclopentadiene

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
3a,4,7,7a-tetrahydro-4,7-methanoindene	77-73-6	2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components			
	CAS-No.	Revision Date	
3a,4,7,7a-tetrahydro-4,7-methanoindene	77-73-6	2007-07-01	

Pennsylvania Right To Know Components

Aldrich - 454338

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Page 11 of 12

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.9 Revision Date: 03/02/2024 Print Date: 07/13/2024

Aldrich - 454338

Page 12 of 12

