

# SAFETY DATA SHEET

Version 6.19 Revision Date 03/07/2024 Print Date 07/13/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Sulfuric acid

Product Number : 339741 Brand : Aldrich

Index-No. : 016-020-00-8 CAS-No. : 7664-93-9

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals (Category 1), H290 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

Aldrich - 339741

Page 1 of 11



For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard Statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

**Precautionary Statements** 

P234 Keep only in original container.
P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner

liner.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Component	Classification	Concentration
sulphuric acid		
	Met. Corr. 1; Skin Corr.	<= 100 %
	1A; Eye Dam. 1; H290,	
	H314, H318	
	Concentration limits:	
	>= 0.3 %: Met. Corr. 1,	

Aldrich - 339741 Page 2 of 11



H290; >= 15 %: Skin Corr. 1A, H314; 5 - < 15 %: Skin Irrit. 2, H315; 5 -	
< 15 %: Eye Irrit. 2, H319;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

# In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Sulfur oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

Aldrich - 339741

Page 3 of 11



### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H<sup>+</sup>, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

No metal containers.

Tightly closed.

# Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

Ingredients with workplace control parameters

Aldrich - 339741

Page 4 of 11



Component	CAS-No.	Value	Control parameters	Basis
sulphuric acid	7664-93-9	TWA	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	1 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
		TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

# 8.2 Exposure controls

# **Appropriate engineering controls**

Change contaminated clothing and immerse in water. Preventive skin protection Wash hands and face after working with substance.

# Personal protective equipment

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

# Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton®

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 120 min

Material tested:Butoject® (KCL 898)

### **Body Protection**

Acid-resistant protective clothing

# Respiratory protection

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Aldrich - 339741



Page 5 of 11

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# .1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Color: colorless

b) Odor odorless

c) Odor Threshold Not applicabled) pH 1.2 at 5 g/l

e) Melting Melting point: 10.31 °C (50.56 °F) point/freezing point

f) Initial boiling point and boiling range

oint 290 °C 554 °F - lit.

g) Flash point ()No data available
h) Evaporation rate No data available
i) Flammability (solid, No data available

gas)

NO data available

j) Upper/lower flammability or explosive limits No data available

k) Vapor pressure 1.33 hPa at 145.8 °C (294.4 °F)

I) Vapor density 3.39 - (Air = 1.0)

m) Density 1.84 g/cm3 at 25 °C (77 °F) - lit.

Relative density No data available

n) Water solubility soluble

o) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

p) Autoignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

Aldrich - 339741

Millipore SigMa

# 9.2 Other safety information

Surface tension 55.1 mN/m at 20 °C (68 °F)

Relative vapor 3.39 - (Air = 1.0)

density

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Water

Alkali metals

alkali compounds

Ammonia

Aldehydes

acetonitrile

Alkaline earth metals

alkalines

Acids

alkaline earth compounds

Metals

metal alloys

Oxides of phosphorus

phosphorus

hydrides

halogen-halogen compounds

oxyhalogenic compounds

permanganates

nitrates

carbides

combustible substances

organic solvent

acetylidene

Nitriles

organic nitro compounds

anilines

Peroxides

picrates

nitrides

lithium silicide

iron(III) compounds

bromates

chlorates

Amines

Aldrich - 339741

Millipore SigMa perchlorates hydrogen peroxide

### 10.4 Conditions to avoid

no information available

# 10.5 Incompatible materials

animal/vegetable tissuesContact with metals liberates hydrogen gas.

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male and female - 2,140 mg/kg

Remarks: (ECHA)

Inhalation: No data available Dermal: No data available

# Skin corrosion/irritation

Skin - Rabbit

Result: Extremely corrosive and destructive to tissue.

Remarks: (IUCLID)

**Serious eye damage/eye irritation** Remarks: Causes serious eye damage.

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative Remarks: (HSDB) Carcinogenicity

No data available

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

Aldrich - 339741

AilliPDRE

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# 11.2 Additional Information

RTECS: WS5600000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Pulmonary edema. Effects may be delayed.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After inhalation of aerosols: damage to the affected mucous membranes. After skin contact: severe burns with formation of scabs. After eye contact: burns, corneal lesions. After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea. After a latency period of several weeks possibly pyloric stenosis.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - > 100

mg/l - 72 h

(OECD Test Guideline 201)

# 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

Aldrich - 339741

AilliPORE

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Biological effects:

Harmful effect due to pH shift.

Caustic even in diluted form.

Does not cause biological oxygen deficit.

Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities.

Neutralisation possible in waste water treatment plants.

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1830 Class: 8 Packing group: II

Proper shipping name: Sulfuric acid Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 1830 Class: 8 Packing group: II EMS-No: F-

A, S-B

Proper shipping name: SULPHURIC ACID

**IATA** 

UN number: 1830 Class: 8 Packing group: II

Proper shipping name: Sulphuric acid

# **SECTION 15: Regulatory information**

Aldrich - 339741

Millipore Sigma

Page 10 of 11

# **SARA 302 Components**

sulphuric acid	CAS-No.	Revision Date
	7664-93-9	2007-07-01

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
sulphuric acid	7664-93-9	2007-07-01

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

The second secon		
	CAS-No.	Revision Date
sulphuric acid	7664-93-9	2007-07-01

# **Pennsylvania Right To Know Components**

sulphuric acid	CAS-No.	Revision Date
	7664-93-9	2007-07-01

# California Prop. 65 Components

, which is/are known to the State of California to	CAS-No.	<b>Revision Date</b>
cause cancer. For more information go to	7664-93-9	2007-09-28
www.P65Warnings.ca.gov.sulphuric acid		

#### **SECTION 16: Other information**

### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.19 Revision Date: 03/07/2024 Print Date: 07/13/2024

Aldrich - 339741



Page 11 of 11