

## SAFETY DATA SHEET

Version 6.8  
Revision Date 08/06/2024  
Print Date 08/07/2024**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : *tert*-Butanol

Product Number : B85927  
Brand : SIGALD  
Index-No. : 603-005-00-1  
CAS-No. : 75-65-0

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Flammable liquids (Category 2), H225  
Acute toxicity, Inhalation (Category 4), H332  
Eye irritation (Category 2A), H319

SIGALD - B85927

Page 1 of 11

Specific target organ toxicity - single exposure (Category 3), Respiratory system, Central nervous system, H335, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard Statements

H225	Highly flammable liquid and vapor.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Precautionary Statements

P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist or vapors.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

---

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Synonyms : 2-Methyl-2-propanol

SIGALD - B85927

Page 2 of 11

Trimethyl carbinol  
tert-Butyl alcohol

Formula : C<sub>4</sub>H<sub>10</sub>O  
Molecular weight : 74.12 g/mol  
CAS-No. : 75-65-0  
EC-No. : 200-889-7  
Index-No. : 603-005-00-1

Component	Classification	Concentration
<b>tert-Butanol</b>		
	Flam. Liq. 2; Acute Tox. 4; Eye Irrit. 2A; STOT SE 3; H225, H332, H319, H335, H336 Concentration limits: 20 %: STOT SE 3, H335;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

#### SECTION 4: First aid measures

##### 4.1 Description of first-aid measures

No data available

##### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

##### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

#### SECTION 5: Firefighting measures

##### 5.1 Extinguishing media

###### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>) Foam Dry powder

###### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

##### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Flash back possible over considerable distance.

Combustible.

##### 5.3 Advice for firefighters

No data available

##### 5.4 Further information

In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.

SIGALD - B85927

Page 3 of 11

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

For personal protection see section 8.

**6.2 Environmental precautions**

No data available

**6.3 Methods and materials for containment and cleaning up**

No data available

**6.4 Reference to other sections**

For disposal see section 13.

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

For precautions see section 2.2.

**7.2 Conditions for safe storage, including any incompatibilities**

No data available

**7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with workplace control parameters**

Component	CAS-No.	Value	Control parameters	Basis
tert-Butanol	75-65-0	TWA	100 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen		

		TWA	100 ppm 300 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		ST	150 ppm 450 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		TWA	100 ppm 300 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		STEL	150 ppm 450 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		PEL	100 ppm 300 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

### Personal protective equipment

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Chloroprene

Minimum layer thickness: 0.65 mm

Break through time: 240 min

Material tested: KCL 720 Camapren®

#### Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

**Control of environmental exposure**  
Prevent product from entering drains.

---

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

a) Appearance	Form: liquid
b) Odor	camphor-like
c) Odor Threshold	ca.71 ppm
d) pH	at 20 °C (68 °F)neutral
e) Melting point/freezing point	Melting point/ range: 23 - 26 °C (73 - 79 °F) - lit.
f) Initial boiling point and boiling range	83 °C 181 °F - lit.
g) Flash point	15 °C (59 °F) - closed cup
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	Upper explosion limit: 8.0 %(V) Lower explosion limit: 2.3 %(V)
k) Vapor pressure	40.7 hPa at 20 °C (68 °F)
l) Vapor density	2.56
m) Density	0.775 g/mL at 25 °C (77 °F) - lit.
Relative density	No data available
n) Water solubility	soluble
o) Partition coefficient: n-octanol/water	log Pow: 0.30 - Bioaccumulation is not expected.
p) Autoignition temperature	470 °C (878 °F) at 1,013 hPa - see user defined free text
q) Decomposition temperature	No data available
r) Viscosity	5.72 mm <sup>2</sup> /s at 25 °C (77 °F) - OECD Test Guideline 114 - 2.23 mm <sup>2</sup> /s at 45 °C (113 °F) - OECD Test Guideline 114 -
s) Explosive properties	No data available
t) Oxidizing properties	none

**9.2 Other safety information**

Surface tension 69.8 mN/m at 1.09g/l at 21 °C (70 °F) - OECD Test Guideline 115

Dissociation constant 19.2 at 20 °C (68 °F)

SIGALD - B85927

Page 6 of 11

Relative vapor density 2.56

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

No data available

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Alkali metals

Alkaline earth metals

Strong acids

Aluminum

Strong oxidizing agents

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 3,046 mg/kg  
(US-EPA)

Acute toxicity estimate Inhalation - 4 h - 11.1 mg/l - vapor

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg  
(US-EPA)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

(Draize Test)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation.

SIGALD - B85927

Page 7 of 11

(US-EPA)

### **Respiratory or skin sensitization**

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

### **Germ cell mutagenicity**

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: sister chromatid exchange assay

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 479

Result: negative

Test Type: Micronucleus test

Species: Mouse

Cell type: Red blood cells (erythrocytes)

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

### **Carcinogenicity**

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

### **Specific target organ toxicity - single exposure**

Inhalation - May cause respiratory irritation. - Respiratory system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Inhalation - May cause drowsiness or dizziness. - Nervous system



### Specific target organ toxicity - repeated exposure

No data available

### Aspiration hazard

No data available

## 11.2 Additional Information

RTECS: E01925000

drying, cracking of the skin, Skin irritation

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

---

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - > 961 mg/l - 96 h  
(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 933 mg/l - 48 h  
(Directive 67/548/EEC, Annex V, C.2.)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 976 mg/l - 72 h  
(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - Pseudomonas putida - > 10,000 mg/l - 16 h  
(DIN 38 412 Part 8)

static test EC10 - Pseudomonas putida - 6,900 mg/l - 16 h  
(DIN 38 412 Part 8)

Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) semi-static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 21 d  
(OECD Test Guideline 211)

semi-static test NOEC - Daphnia magna (Water flea) - 100 mg/l - 21 d  
(OECD Test Guideline 211)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 56 d  
Result: 66 % - Inherently biodegradable.  
Remarks: (ECHA)

### 12.3 Bioaccumulative potential

No data available

SIGALD - B85927

Page 9 of 11

#### **12.4 Mobility in soil**

No data available

#### **12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### **12.6 Endocrine disrupting properties**

No data available

#### **12.7 Other adverse effects**

No data available

---

### **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

No data available

---

### **SECTION 14: Transport information**

#### **DOT (US)**

UN number: 1120    Class: 3    Packing group: II  
Proper shipping name: Butanols  
Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

#### **IMDG**

UN number: 1120    Class: 3    Packing group: II EMS-No: F-  
E, S-D  
Proper shipping name: BUTANOLS

#### **IATA**

UN number: 1120    Class: 3    Packing group: II  
Proper shipping name: Butanols

---

### **SECTION 15: Regulatory information**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

#### **SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:  
tert-Butanol 75-65-0 >= 90 - <= 100 %

**US State Regulations**

**Massachusetts Right To Know**

tert-Butanol 75-65-0

**Pennsylvania Right To Know**

tert-Butanol 75-65-0

**Maine Chemicals of High Concern**

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

**Washington Chemicals of High Concern**

Product does not contain any listed chemicals

**The ingredients of this product are reported in the following inventories:**

TSCA : All substances listed as active on the TSCA inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16: Other information**

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.8

Revision Date: 08/06/2024

Print Date: 08/07/2024