

# SAFETY DATA SHEET

Version 6.8 Revision Date 08/06/2024 Print Date 08/07/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Copper(II) nitrate hemi(pentahydrate)

Product Number : 223395 Brand : SIGALD CAS-No. : 19004-19-4

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 1), H271 Corrosive to Metals (Category 1), H290 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1B), H314

SIGALD - 223395

Page 1 of 9



Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word	Danger

Hazard Statements

H271 May cause fire or explosion; strong oxidizer.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary	Statements
D240	

P305 + P351 + P338 +

P210	Keep away from heat.
P220	Keep/Store away from clothing/ combustible materials.
P221	Take any precaution to avoid mixing with combustibles.
P234	Keep only in original container.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P283 Wear fire/ flame resistant/ retardant clothing.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P306 + P360 IF ON CLOTHING: rinse immediately contaminated clothing and

skin with plenty of water before removing clothes.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight

fire remotely due to the risk of explosion.

P390 Absorb spillage to prevent material damage.

P391 Collect spillage. P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner

liner.

SIGALD - 223395

P310

plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : Cupric nitrate hemi(pentahydrate)

Formula :  $CuN_2O_6 \cdot 2.5H_2O$ Molecular weight : 232.59 g/mol CAS-No. : 19004-19-4 EC-No. : 221-838-5

Component	Classification	Concentration	
Copper(II) nitrate hemi(pentahydrate)			
Copper(11) intrate nemi(pent)	Ox. Sol. 1; Met. Corr. 1; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H271, H290, H302, H314, H318, H400, H410	<= 100 %	
	M-Factor - Aquatic Acute: 10 M-Factor - Aquatic Chronic: 10		

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

No data available

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

No data available



### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Copper oxides Not combustible.

### 5.3 Advice for firefighters

No data available

#### 5.4 Further information

No data available

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

For personal protection see section 8.

### 6.2 Environmental precautions

No data available

### 6.3 Methods and materials for containment and cleaning up

No data available

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Heat sensitive. Moisture sensitive.

### **Storage class**

Storage class (TRGS 510): 5.1A: Strongly oxidizing hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters



Component	CAS-No.	Value	Control parameters	Basis
Copper(II) nitrate hemi(pentahydrat e)	19004-19- 4	TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

#### 8.2 **Exposure controls**

No data available

## **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

a) Appearance Form: solid

b) Odor No data available c) Odor Threshold No data available No data available d) pH

Melting point/ range: 114 °C (237 °F) e) Melting

point/freezing point

Initial boiling point f) No data available

and boiling range

g) Flash point ()Not applicable h) Evaporation rate No data available Flammability (solid, No data available

gas)

No data available Upper/lower

flammability or explosive limits

k) Vapor pressure No data available Vapor density No data available

m) Density 2.320 g/cm3

No data available Relative density No data available n) Water solubility o) Partition coefficient:

n-octanol/water

No data available

p) Autoignition temperature No data available

Decomposition temperature

No data available



r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties The substance or mixture is classified as oxidizing with the

category 1.

### 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

No data available

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat. Avoid moisture.

#### 10.5 Incompatible materials

Reducing agents, Organic materials, Powdered metals

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 794 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity).

Behavioral: Convulsions or effect on seizure threshold.

Inhalation: No data available Dermal: No data available

No data available

### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: Corrosive

(OECD Test Guideline 431)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe eye irritation

#### Respiratory or skin sensitization

No data available



# Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### 11.2 Additional Information

RTECS: QU7400000

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish LC50 - other fish - 0.29 mg/l - 96.0 h

#### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3 Bioaccumulative potential

No data available

SIGALD - 223395

Page 7 of 9



### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

No data available

# **SECTION 14: Transport information**

DOT (US)

UN number: 3085 Class: 5.1 (8) Packing group: I

Proper shipping name: Oxidizing solid, corrosive, n.o.s. (Copper(II) nitrate

hemi(pentahydrate))

Reportable Quantity (RQ): 100 lbs
Poison Inhalation Hazard: No

Poison innaiation nazaru. I

**IMDG** 

UN number: 3085 Class: 5.1 (8) Packing group: I EMS-No: F-A, S-Q Proper shipping name: OXIDIZING SOLID, CORROSIVE, N.O.S. (Copper(II) nitrate

hemi(pentahydrate)) Marine pollutant : yes

**IATA** 

UN number: 3085 Class: 5.1 (8) Packing group: I

Proper shipping name: Oxidizing solid, corrosive, n.o.s. (Copper(II) nitrate

hemi(pentahydrate))

### **SECTION 15: Regulatory information**

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Copper(II) nitrate hemi(pentahydrate)	19004-19-4	100	100

SIGALD - 223395

Page 8 of 9

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312

Hazards

Reactivity Hazard
Acute Health Hazard
Chronic Health Hazard

**SARA 313** : The following components are subject to reporting

levels established by SARA Title III, Section 313:

Copper(II) 19004-19- >= 90 - <= 100 %

nitrate 4 hemi(pentahyd

rate)

# **US State Regulations**

# **Massachusetts Right To Know**

Copper(II) nitrate hemi(pentahydrate) 19004-19-4

Pennsylvania Right To Know

Copper(II) nitrate hemi(pentahydrate) 19004-19-4

**Maine Chemicals of High Concern** 

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern** 

Product does not contain any listed chemicals

**Washington Chemicals of High Concern** 

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# **SECTION 16: Other information**

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.8 Revision Date: 08/06/2024 Print Date: 08/07/2024

SIGALD - 223395

Page 9 of 9