

# **SAFETY DATA SHEET**

Version 6.6 Revision Date 08/07/2024 Print Date 08/08/2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1** Product identifiers

	Product name	:	Potassium thiocyanate	
	Product Number	:	207799	
	Brand	:	SIGALD	
	Index-No.	:	615-030-00-5	
	CAS-No.	:	333-20-0	
.2	Relevant identified uses of the substance or mixture and uses advised a			
	Identified uses		Laboratory chemicals Synthesis of substances	

#### 1.3 against

Identined uses	•	Laboratory chemicals, Synthesis of Substances
Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

#### **1.3** Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Emergency telephone	)	
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hours/day; 7 Days/week

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312

SIGALD - 207799

1.4

Page 1 of 11



Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word	Danger
Hazard Statements H302 + H312 + H332 H318 H401 H412	Harmful if swallowed, in contact with skin or if inhaled. Causes serious eye damage. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary Statements P261 P264 P270 P271 P273 P280	Avoid breathing dust. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face
P301 + P312 + P330	protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 P501	Wash contaminated clothing before reuse. Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### **SECTION 3:** Composition/information on ingredients

3.1 Substances

Synonyms

: Potassium rhodanide

SIGALD - 207799

Page 2 of 11



Component	Classification	Concentration	
Potassium thiocyanate			
	Acute Tox. 4; Eye Dam. 1; Aquatic Acute 2; Aquatic Chronic 3; H302, H332, H312, H318, H401, H412	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

- **4.1 Description of first-aid measures** No data available
- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media No data available
- 5.2 Special hazards arising from the substance or mixture Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Potassium oxides Not combustible.
- 5.3 Advice for firefighters No data available
- 5.4 Further information No data available

#### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** For personal protection see section 8.
- 6.2 Environmental precautions No data available
- 6.3 Methods and materials for containment and cleaning up No data available

SIGALD - 207799

Page 3 of 11



#### **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Air, light, and moisture sensitive. Handle and store under inert gas.

## Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Ingredients with workplace control parameters** Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Personal protective equipment

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

SIGALD - 207799

Page 4 of 11



#### **Control of environmental exposure**

Prevent product from entering drains.

### SECTION 9: Physical and chemical properties

0 1	<ol> <li>Tufermention on basis abusical and sherrical areas ation</li> </ol>			
9.1		Information on basic physical and chemical properties		
	a)	Appearance	Form: powder, crystals Color: white	
	b)	Odor	odorless	
	c)	Odor Threshold	Not applicable	
	d)	рН	4.8 at 1,070 g/l at 20.1 °C (68.2 °F)	
	e)	Melting point/freezing point	Melting point/ range: 173 °C (343 °F) - lit.	
	f)	Initial boiling point and boiling range	<= 400 °C <= 752 °F at 1,013 hPa - OECD Test Guideline 103	
	g)	Flash point	()Not applicable	
	h)	Evaporation rate	No data available	
	i)	Flammability (solid, gas)	The product is not flammable.	
	j)	Upper/lower flammability or explosive limits	No data available	
	k)	Vapor pressure	< 0.1 hPa at 20 °C (68 °F) - OECD Test Guideline 104	
	I)	Vapor density	No data available	
	m)	Density	1.890 g/cm3 at 20 °C (68 °F)	
		Relative density	1.9120 °C - OECD Test Guideline 109	
	n)	Water solubility	1,000 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - completely soluble	
	o)	Partition coefficient: n-octanol/water	- Not applicable for inorganic substances	
	p)	Autoignition temperature	not auto-flammable	
	q)	Decomposition temperature	500 °C (932 °F) -	
	r)	Viscosity	No data available	
	s)	Explosive properties	No data available	
	t)	Oxidizing properties	The product has been shown not to be oxidizing in a test following Directive 67/548/EEC (Method A17, oxidizing properties).	

SIGALD - 207799

Page 5 of 11



#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Contact with acids liberates very toxic gas.

#### **10.2 Chemical stability** No data available

#### **10.3** Possibility of hazardous reactions

Risk of explosion with: perchloryl fluoride Strong oxidizing agents Generates dangerous gases or fumes in contact with: Acids Possible formation of: Hydrogen cyanide (hydrocyanic acid) Risk of ignition or formation of inflammable gases or vapours with: Chlorites

# **10.4 Conditions to avoid** Avoid moisture.

**10.5 Incompatible materials** No data available

#### **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### **11.1** Information on toxicological effects

Acute toxicity LD50 Oral - Rat - 854 mg/kg Remarks: Behavioral:Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration:Dyspnea. (RTECS) Acute toxicity estimate Inhalation - 1.6 mg/l - dust/mist

(Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Possible damages:, May cause irritation of respiratory tract. Acute toxicity estimate Dermal - 1,100 mg/kg (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

SIGALD - 207799

Page 6 of 11



#### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: No skin irritation - 5 min (Regulation (EC) No. 440/2008, Annex, B.46) Remarks: The value is given in analogy to the following substances: sodium thiocyanate

### Serious eye damage/eye irritation

Eyes - Rabbit Result: Irreversible effects on the eye (OECD Test Guideline 405) Remarks: The value is given in analogy to the following substances: sodium thiocyanate

#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429) Remarks: The value is given in analogy to the following substances: sodium thiocyanate

#### Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Remarks: The value is given in analogy to the following substances: sodium thiocyanateTest Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: The value is given in analogy to the following substances: Ammonium thiocyanateTest Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Remarks: The value is given in analogy to the following substances: sodium thiocyanate Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure** No data available

#### Specific target organ toxicity - repeated exposure No data available

SIGALD - 207799

Page 7 of 11



#### Aspiration hazard

No data available

#### **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 92 d - NOAEL (No observed adverse effect level) - 20 mg/kg Remarks: The value is given in analogy to the following substances: Ammonium thiocyanate

RTECS: XL1925000 Nausea, Headache, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

agitation, spasms ataxia (impaired locomotor coordination)

Systemic effects:

CNS disorders cardiovascular disorders

After long-term exposure to the chemical:

Changes in the blood count

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish	static test LC50 - Oncorhynchus mykiss (rainbow trout) - 65 mg/l - 96 h (OECD Test Guideline 203) Remarks: The value is given in analogy to the following substances: Ammonium thiocyanate
Toxicity to daphnia	static test EC50 - Daphnia magna (Water flea) - 3.56 mg/l - 48 h
and other aquatic	(OECD Test Guideline 202)
invertebrates	Remarks: The value is given in analogy to the following substances:

SIGALD - 207799

Page 8 of 11



	Ammonium thiocyanate
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata - > 234.3 mg/l - 72 h (OECD Test Guideline 201) Remarks: The value is given in analogy to the following substances: Ammonium thiocyanate
Toxicity to bacteria	static test NOEC - activated sludge - >= 2 mg/l - 28 d (OECD Test Guideline 301D) Remarks: The value is given in analogy to the following substances: Ammonium thiocyanateThe value is given in analogy to the following substances: Potassium thiocyanate
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Pimephales promelas (fathead minnow) - 1.84 mg/l - 124 d Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test EC50 - Daphnia magna (Water flea) - 2.6 mg/l - 21 d (OECD Test Guideline 211) Remarks: The value is given in analogy to the following substances: Ammonium thiocyanate

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 80 % - Readily biodegradable. (OECD Test Guideline 301D) Remarks: The value is given in analogy to the following substances: Ammonium thiocyanate

#### 12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 16 Weeks - 35000 µg/l(Potassium thiocyanate)

Bioconcentration factor (BCF): 13.4

12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties** No data available

#### 12.7 Other adverse effects

No data available

SIGALD - 207799

Page 9 of 11



#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods No data available

#### **SECTION 14: Transport information**

#### DOT (US)

Not dangerous goods

#### IMDG

Not dangerous goods

#### ΙΑΤΑ

Not dangerous goods

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

#### **SECTION 15: Regulatory information**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312	: Acute Health Hazard
Hazards	Chronic Health Hazard
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

#### **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

SIGALD - 207799

Page 10 of 11



#### Maine Chemicals of High Concern

Product does not contain any listed chemicals

#### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

#### Washington Chemicals of High Concern

Product does not contain any listed chemicals

#### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16: Other information**

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.6 Revision Date: 08/07/2024 Print Date: 08/08/2024

SIGALD - 207799

Page 11 of 11

